

TABLE 1-1 MERLIN II System Features

| Feature | FM1 | FM2 | Release 3 |
|---|----------------|----------------|----------------|
| Account Code Entry | X ¹ | X | X |
| Allowed List | X | X | X |
| Attendant Barge-in | | | X |
| Attendant Position setting | | X | X ² |
| Auto Answer All | X | X | X |
| Auto Answer- Intercom | X | X | X |
| Auto Intercom | X | X | X |
| Automatic Line Selection (ALS) | X | X | X |
| Automatic Route Selection (ARS) | X | X | X |
| Basic Telephones | X | X | X |
| Behind- Switch Operation | | X | X |
| Bridging on Shared Lines | X ³ | X ³ | X |
| Call Coverage | X | X | X |
| Call Forwarding and Follow Me | | X | X |
| Call Park | X | X | X |
| Call Pickup | X ⁴ | X ⁴ | X ⁴ |
| Call Pickup Groups | | X | X |
| Call Report (SMDR) | X | X | X |
| Call Restriction | X | X | X |
| Camp On | | X | X |
| Centralized programming | X | X | X |
| Conference | X | X | X |
| Coverage Inhibit | X | X | X |
| Dialing Timeout Internal for Rotary Lines | X | X | X |
| Direct Inward System Access (DISA) | | X | X |
| Disallowed List | | | X |
| Display | X | X | X |
| Do Not Disturb | X | X | X |
| Drop | X | X | X |

TABLE 1-1 MERLIN II System Features (Continued)

| Feature | FM1 | FM2 | Release 3 |
|--|-----------------|-----------------|-----------------|
| Executive barge-In | | X ³ | X |
| Extended Station Status (ES Status) | | X | X |
| Flexible Numbering | | X | X |
| Follow Me | | X | X ⁶ |
| Forced Account Code Entry (FACE) | | X | X |
| Group Call Distribution (GCD) | X | X | X |
| Group Listening | X | X | X ⁷ |
| Group Page | X | X | X |
| Hold | X | X | X |
| Hold Disconnect Interval | X | X | X |
| Intercom | X | X | X |
| Intercom Dial Tone | | X | X |
| Labels for Lines and Stations | | X ⁸ | X |
| Last Number Redial | X | X | X |
| Leave word Calling | X | X | X |
| Line Assignments in Behind- Switch Systems | | X | X |
| Line Assignments in Pooled Systems | X ⁹ | X | X |
| Line Assignments in Square Systems | X ¹⁰ | X | X |
| Line Pickup | X ¹¹ | | |
| Line Representation setting | X | X ¹² | X ¹² |
| Line Request | X | X | X |
| Loudspeaker Page | X | X | X |
| Manual Signaling | X | X | X |
| Menu Driven Administration | | X | X ¹³ |
| Message | X | X | X |
| Monitor.-on-Hold | X | X | X ¹⁴ |
| | | | |

TABLE 1-1 MERLIN II System Features (Continued)

| Feature | FM1 | FM2 | Release 3 |
|---|-----------------|-----|-----------------|
| Music-on-hold | X | X | X |
| Night Service | X | X | X |
| Notify | X | X | X |
| On-Hook Dialing | X | X | X ¹⁵ |
| On-Line Module Swap | | | X |
| One-Touch Hold with Call Announcement | X | X | X |
| Outside Auto Dial | X | X | X |
| Page All | | | X |
| PBX, Centrex , or custom Calling Features | | X | X |
| Personal Speed Dial | X | X | X |
| Personalized Ringing | X | X | X |
| Posted Message | | | X |
| Privacy | X | X | X |
| Reed | X | X | X |
| Recall Timer Interval | X | X | X |
| Reminder Service | | X | X |
| Ringing/Idle Line Preference | X ¹⁶ | X | X |
| Ringing-on-Transfer | X | X | X |
| Ringing Options | X | X | X |
| Saved Number Redial | X | X | X |
| Send Message | X | X | X |
| Simultaneous Voice and Data Calls | X | X | X |
| Special Characters in Programmed Dialing | X | X | X |
| Sequences | X | X | X |
| Stopwatch | X | X | X |
| System Renumbering | X | X | X |
| System Size | X ¹⁷ | X | X |
| System Speed Dial | X | X | X |
| System Type | X ¹⁸ | X | X |

TABLE 1-1 MERLIN II System Features (Continued)

| Feature | FM1 | FM2 | Release 3 |
|--------------------------------------|-----------------|-----------------|-----------------|
| Test | X | X | X ¹⁹ |
| Tie Lines | | | X |
| Tones | X | X | X ²⁰ |
| Touch-Tone Enable | X | X | X |
| Touch-Tone or Rotary Signaling | X ²¹ | X | X |
| Transfer | X | X | X |
| Transfer Return Interval | X | X | X |
| Type of Telephone | X ²² | X ²² | X |
| Voice Announcement Enable/Disable | X | X | X |
| Voice Announcement to Busy Telephone | X ²³ | X ²³ | X |